

Basic IMPRINT Workshop







IMPRINT Team

Mr. John Lockett jlockett@arl.army.mil 410-278-5875

Ms. Jody Wojciechowski jqw@arl.army.mil 410-278-8830

Ms. Celine Richer cricher@arl.army.mil 410-278-5883

Ms. Charneta Samms csamms@arl.army.mil 410-278-5877

Ms. Diane Mitchell diane@arl.army.mil 410-278-5878

Mr. Alan Dorney adorney@arl.army.mil 410-278-5892




Introduction




What is IMPRINT?

- ♦ It is a tool
- Army-developed soldier-system analysis tool
- Improved Performance Research Integration Tool





IMPRINT Architecture





What Does IMPRINT Do?

It helps you...


- Set realistic system requirements
- Identify future manpower & personnel constraints
- Evaluate operator & crew workload
- Test alternate system-crew function allocations
- Assess required maintenance manhours
- Assess performance under extreme conditions
- Examine performance as a function of personnel characteristics, training frequency & recency
- etc.



How Does IMPRINT Do It?

- Stochastic task network modeling
 - Build your own mission model

time, accuracy, task type, failure...



Parameterize maintenance model
 MTTR, MOUBF, combat damage, rounds fired...

- Workload modeling: VACP & Advanced
- Performance shaping functions & stressors
- Manpower projection
- Access data libraries: System & soldier data
- Force-level roll-up



IMPRINT: Evolution & Revolution

1970's

Concept Paper ~Air Force~

MPT data provided - Paper & pencil -

Navy HARDMAN
(Hardware vs. Manpower)

1980's

Automated process

- Mini-computer -

Army HARDMAN II

MPT link to performance - PC -

Army HARDMAN III

1990's

Integrated analysis environment - Windows -

IMPRINT & WinCrew

2000+

Goal Oriented Behaviors & HLA Compliance

IMPRINT 6



IMPRINT Verification, Validation & Accreditation

- Per AR 5-11, Army Model and Simulation Management Program
- Accreditation Board
 - ADCSPER, Chair & Members representing policy, users, testers, materiel developers, decision makers
- Effort completed 2QF 95 -
 - Define Mission, VACP, PTS
- IMPRINT is a tool for building models & includes embedded models!
- VV&A may be required for user-developed models



Extra Benefits of Doing V&V

- It's a great way to debug software
- It drives you to document model assumptions and limits



- It goes hand in hand with configuration management
- It helps build toward model standards, data sharing, etc.
- It's a way to reduce system risk
- If you do it right in the beginning, the "savings" are realized throughout the life-cycle
- It helps you develop rapport with the customer
- It helps build credibility for human performance modeling across the board!



Who Has IMPRINT?

	Army	107
--	------	-----

- Navy23
- Air Force
- Marine Corps
- Other Government
- Contractors 105
- University
- Foreign

273 and growing!



IMPRINT Web Page



IMPRINT

Improved Performance Research Integration Tool

Version 7 now available!

Links to other sites:


ARL Home Page
Dept. of the Army
WinCrew
Micro Saint

What is IMPRINT?

IMPRINT is a Human Systems Integration (HSI) and Manpower versus Hardware Integration (MANPRINT) tool developed by the U.S. Army Research Laboratory, Human Research & Engineering Directorate. It is a dynamic, stochastic discrete event network modeling tool designed to help assess the interaction of soldier and system performance throughout the



Development of Analysis



What is a Model?



Mr. Webster says:

1. A small object, usually built to scale, that represents another, often larger object. 2. A preliminary pattern serving as the plan from with an item not yet constructed will be produced. 3. A tentative description of a theory or system that accounts for all of its known properties.

Law and Kelton say:

Mathematical and logical relationships that describe system behavior.

Mr. R. Estell says:

An abstraction of reality.



Why Modeling?

Many Variables



Concept System

Too Dangerous




Field Study Not Feasible

Model - Test - Model



Why Human Performance Modeling?






Task Network Human Performance Modeling

INPUTS

- Time and accuracy of each task
- Consequences of "poor" performance

Gathered from such sources as existing data, algorithms, and estimates from SMEs





OUTPUTS

Measures of effectiveness

Not descriptive models, but predictive models



What Does Human Performance Modeling Tell Us?



Is the human overloaded with tasks?

Will training improve human and system performance?





How to allocate tasks between human(s) and automation?

What are the performance tradeoffs with different system designs or levels of operator experience?



Typical Measures





Task time and accuracy





Operator workload level



Number of operators required

Impact on
System
Performance




Challenges to Human Performance Modeling

Clear questions



Appropriate measures







Input data collection




Scientific Method

Determine the problem - What is your question? Observation!

•

- Make a hypothesis What is your prediction?
- Test your hypothesis What steps and measures are necessary? What tool?
- Analyze your results
- Draw conclusions





Loading the Software



System Requirements

- Pentium
- 128 MB RAM Minimum
- 75 MB disk space
- VGA
- Windows 98 or Windows NT/2000/XP
- Office for enhanced reporting & graphing



Installing IMPRINT

- Installs from CD to hard drive
- Default directory: C:\imprint7 (cannot be installed over top a previous version)
- If previous version exist (version 5 or 6 only) then all analyses are converted first time IMPRINT is used.





IMPRINT Basics





The IMPRINT Directory

- What's in it
 - Executable files, & DLL files
 - IMPRINT database files



- » "user" files your stuff
- "working" or "session" files for the open analysis
- Report files linked to an analysis
- Help files
- Documentation & Readme
 - » Analysis Guide & User's Guide
- What isn't: Your analysis by name!








What Your Analysis Looks Like

When you open IMPRINT you will -

- Create a new analysis
 - Starting from scratch
 - Or using a library system
 Libraries are for reference or quick start
 But you are not required to use them!

Or open an existing one





The IMPRINT Library

Mission Area	System Type	System Name	
Air Defense	Man-portable Air Defense System	STINGER	
Air Defense	HIMAD	Patriot FP	
Air Defense	Air Defense Mobile Gun	M163 VULC	
Aviation	Utility Helicopter	UH-60A	
Aviation	Scout Helicopter	OH-58D	
Aviation	Cargo Helicopter	CH-47D	
Aviation	Attack Helicopter	AH-64A	
Close Combat Heavy	Tank	M1 ABRAMS	
Close Combat Heavy	Cavalry Fighting Vehicle	M3 BRADLEY	
Close Combat Light	Rifle	M16A1	
Close Combat Light	Man-portable Indirect Fire Weapon	M252 81MM	
Close Combat Light	Man-portable Anti-tank Weapon	DRAGON	
Close Combat Light	Infantry Fighting Vehicle	M2 BRADLEY	
Close Combat Light	Grenade Launcher	M203	
Close Combat Light	Automatic Weapon	M249 SAW	
Close Combat Light	Anti-tank Vehicle	M901 ITV	
Combat Service Support	Light Truck	M998 HMMWV	
Combat Service Support	Heavy Truck	M977 HEMTT	
Fire Support	Towed Howitzer	M102 HOW	
Fire Support	Self-propelled Howitzer	M109A2 HOW	
Fire Support	Rocket Field Artillery System	MLRS	
Fire Support	Medium Range Missile Artillery	LANCE	




Navigating within IMPRINT

- Windows "standards" (to the extent possible)
 - OK goes back one and saves
 - Cancel also goes back one & does not save
 - Other buttons advance
- Deeply embedded windows
 - Navigate from top > down
 - At embedded levels, also navigate sideways
- Multiple ways to access data
 - Lists, graphics, spreadsheets



Saving Your Analysis


- Save early, save often* *from the top-most window
- Save again as you exit
- Saving your analysis
- Saving your networkdiagram & information
- When in doubt, save
- Reminders are legitimate!





Sharing Your Analysis Using Import & Export

- To Import a version 7 analysis -
 - Close the open analysis
 - Select "Import Analysis"
 - Browse until you find the one you're looking for
 - To access the analysis, you must then open it






Sharing Your Analysis Using Import & Export (cont'd)


Files of type:

.imp

To Import a version 5 or 6 analysis

- Close the open analysis
- Select "Import 5.0/6.0 Analysis"
- Browse until you find the one you're looking for
- To access the analysis, you must then open it








Sharing Your Analysis Using Import & Export (cont'd)


◆To Export -

- Close your analysis if you have one open
- Select Export option
- Create export file using Windows naming conventions
- On hard drive or on disk
- File name does not have to = analysis name






IMPRINT Menus





IMPRINT Reports





Define Mission



Define Mission Answers...

- How long will it take to perform my tasks?
- How much workload will be created?
- What is the probability of success?
- How should tasks be allocated across crewmembers and to automation?



Define Mission Inputs

- Mission level
 - time standard
 - time criterion
 - accuracy criterion
 - mission criterion
- Function level
 - time standard
 - time criterion
- Branching logic
 - serial
 - multiple
 - repeating
 - probabilistic

Task level

- time standard
- accuracy standard
- criterion
- time estimate
- accuracy estimate
- consequences of failure
- workload
- taxons
- crew assignments




Define Mission Process





Task Network Hierarchy Options in VACP








- Micro Saint-based modeling tool
- Designed specifically for human operators of systems
- Evaluate system performance time and/or accuracy
- Has workload computations built-in
- Has data collection built-in



Task Network Toolbar





Enter Task Data

- Time
 - Standard
 - Mean & Standard Deviation
 - Micromodels
- Accuracy
 - Standard
 - Probability of Success
 - Mean & Standard Deviation
 - Consequences of Failure
- Operator assignments
- Workload
- Taxons



Assign Operators to Tasks




Primary

- Performs task regardless of current workload
- Secondary (Optional)
 - Has requisite skills and training
 - Used to recommend task reallocations




Run Model





Outputs of Define Mission

- Mission Performance
 - Predicted time & success rate
- Function Performance
 - Predicted time
- Task Performance
 - Predicted time & accuracy
- (And others you will see later)





Cashier Model



Results - Spreadsheets

			Opera tor V	Workload		
System:			March 31,	2003		
Mission:	Chatty Cashier	ke ying ite m	ıs			
Operator	Time	Vis ua l	Aud ito ry	Cognitive	Psychomotor	Ove ra ll
Cashier	00:00:00:00	1	1	1	1	4
Cashier	00:00:00.70	3.7	4.9	1	1	10.6
Cashier	00:00:03.10	6	4.9	6.3	5.6	22.8
Cashier	00:00:04.60	6	5.9	9	8	28.9
Cashier	00:00:06.10	6	5.9	9	8	28.9
Cashier	00:00:06.70	5	4.9	12.1	5.6	27.6
Cashier	00:00:06.76	4.7	4.9	9.9	1	20.5
Cashier	00:00:06.84	2	4.9	6.3	5.6	18.8
Cashier	00:00:06.94	6	4.9	6.3	5.6	22.8
Cashier	00:00:08.44	6	5.9	9	8	28.9
Cashier	00:00:09.10	6	5.9	9	8	28.9
Cashier	00:00:10.53	5	4.9	12.1	5.6	27.6
Cashier	00:00:10.60	2	4.9	5.3	5.6	17.8
Cashier	00:00:11.10	4.7	4.9	6.3	5.6	21.5
Cashier	00:00:12.10	2	4.9	6.3	5.6	18.8
Cashier	00:00:12.20	6	4.9	6.3	5.6	22.8
Cashier	00:00:13.70	6	5.9	9	8	28.9
Cashier	00:00:15.10	6	5.9	9	8	28.9
Cashier	00:00:15.79	5	4.9	12.1	5.6	27.6
Cashier	00:00:15.85	4.7	4.9	9.9	1	20.5
Cashier	00:00:15.93	2	4.9	6.3	5.6	18.8
Cashier	00:00:16.03	6	4.9	6.3	5.6	22.8




Results - tables

			Instances in Overload				
	Max V	'alue	(# of times >7)				
Resources	Scanning	Keying	Scanning	Keying			
Visual	5.9	6.9	0	0			
Auditory	4.9	9.8	0	2			
Cognitive	6.8	12.1	0	84			
Psychomotor	4.6	8	0	19			




Results - charts





Results - charts





Develop Your Own Analysis



Develop Your Own Analysis

Pick a Topic



Develop a Question and Hypothesis




Determine Measures



Identify Functions and Tasks



Build your Model





Your Model Analysis



Does Your Model Run?







So What?



Your Model Runs – So What?

- Did it do what you wanted it to?
 - First step is verification and debugging
- How are you going to evaluate the results?
 - Complete the analysis step
- Is this realistic?
 - Validate the model



VV&A or V(A)V&A

Verification, Validation, and Accreditation vs.

Verification, Analysis, Validation, and Accreditation

- Verification means determining that the model does what it was meant to do
- Analysis of results means evaluating the results
- Validation means the model adequately represents the system
- Accreditation means that the model has be accredited for the use case



Tow Company - Example

They change a lot of tires. The number of tires changed equates to income. Maybe technology will help.


Questions: How long does it take to change a tire? Where are the most errors made?

First step was to do a task analysis of tire changing and collect time and accuracy data.

Build a model.



Tire Change Model





Tire Change Model – 10 runs

T1.	No of times normally executed		Time	Mean	Std	met Time	Accuracy	met Accuracy	Performance		Failed	mission
Task	in a run	Executed	Std	Time	Dev	Std.	Std	Std.	Criterion	Criterion	Criterion	aborts
Locate jack point	1	13							90	76.92	•	
place jack raise car	1	12 10							90	83.33 100	-	-
loosen lug nuts	6					100			90	59.38		1
raise car	1	90	20						90	100	•	
remove lug nuts	6								90			
remove tire	1	9							90			
align tire	1	10							90	100		
lift and place	1	10						90	90		no	
hand tighten lug nuts	6	77	30	13.68	5.64	100	75	70.13	90	70.13	yes	
lower vehicle	1	9	20	10.92	3.72	100	95	100	90	100	no	
remove jack	1	9	10	5.58	1.56	100	95	100	90	100	no	
tighten lug nuts	6	69	30	15.42	4.68	100	95	78.26	90	78.26	yes	
Mission	1	10	9:00	8:37.98	51.72	70		90	95	60	yes	



Tire Change Model – 30 runs


	No of times	No. of Times Executed		Mean Time	Std Dev	met Time Std.	Accuracy Std	met Accuracy Std.	Performance Criterion		Failed Criterion	mission aborts													
	normally executed in a run		Time Std																						
													Locate jack point	1	34	45	29.46	12.6	94.12	92	88.54	90	82.35	yes	
													place jack	1	56	30	10.02	3.12	100	85	53.57	90	53.57	yes	
raise car	1	30	20	15.54	4.56	86.67	95	100	90	86.57	yes														
loosen lug nuts	6	279	20	9.78	3.3	100	80	61.65	90	61.65	yes	3													
raise car	1	28	20	10.44	3.48	100	95	96.43	90	96.43	no														
remove lug nuts	6	164	20	10.02	5.04	96.34	90	98.78	90	95.12	no														
remove tire	1	27	20	10.56	3.66	100	95	100	90	100	no														
align tire	1	34	20	10.8	4.2	97.06	90	91.18	90	88.24	yes														
lift and place	1	34	15	5.16	2.4	100	90	79.41	90	79.41	yes														
hand tighten lug nuts	6	162	30	14.82	4.62	99.53	75	76.42	90	75.94	yes														
lower vehicle	1	27	20	8.22	3.78	100	95	100	90	100	no														
remove jack	1	27	10	4.62	1.8	100	95	100	90	100	no														
tighten lug nuts	6	179	30	14.94	4.74	100	95	86.03	90	86.03	yes	3													
Mission	1	30	9:00	8:16.02	52.98	83.33		80	95	63.33	yes														



Workload Concepts









What Is Mental Workload?

An Example

- Drivers slowing down to talk on their cell phone
- Accident rates of drivers using cell phones approaches that of drivers under the influence of alcohol





Why You Should Care About Workload

- If you reduce crewsize then some tasks must be automated or redistributed among remaining crew positions
 - Reallocation of tasks is likely to increase workload, thus increasing the potential for performance failures and errors.
 - Poorly designed automation can also increase workload and thus the potential for human errors.



Mental Workload Issues

- Sustained low workload (underload) leads to boredom, loss of situation awareness, and reduced alertness.
- Sustained high workload (overload) leads to fatigue.
- Workload peaks lead to dropped tasks, increased task time, cognitive tunneling, and increased errors.
- These factors reduce crew performance, system performance, and contribute to mission failure



Mental Workload Objective

Achieve evenly distributed, manageable workload.

Avoid both overload and underload.







Workload Definition

- There is no universally agreed-upon definition
- Today, however, there is generally agreement that, essentially, workload is

» the perceived relationship between the amount of mental processing capacity or resources and the amount required by the task

Human



Various Mental Workload Measurement Approaches

empirical

- physiological
- primary task
- secondary task
- subjective rankings

analytical

 workload modeling-IMPRINT




Workload Modeling

- Workload modeling of human behavior is a technique that has been used to predict workload levels.
 - IMPRINT can be used to model and predict mental workload.



ARL HRED Workload Modeling Tools





VACP Workload




VACP Workload Method

- AKA "McCracken-Aldrich
- Four independent channels
- Overload defined as any channel > 7
- Option to combine into "Overall" channel



Multiple Resources Theory of Mental Workload





Assign Workload

Visual

- 0.00 No Visual Activity
- 1.00 Visually Register/Detect (detect image)
- 3.70 Visually Discriminate (detect visual differences)
- 4.00 Visually Inspect/Check (static inspection)
- 5.00 Visually Locate/Align (selective orientation)
- 5.40 Visually Track/Follow (maintain orientation)
- 5.90 Visually Read (symbol)
- 7.00 Visually Scan/Search/Monitor(continuous)

Auditory

- 0.00 No Auditory Activity
- 1.00 Detect/Register Sound
- 2.00 Orient to Sound (general orientation)
- 4.20 Orient to Sound (selective orientation)
- 4.30 Verify Auditory Feedback
- 4.90 Interpret Semantic Content (speech)
- 6.60 Discriminate Sound Characteristics
- 7.00 Interpret Sound Patterns (pulse rate, etc.)



Assign Workload

Cognitive

- 0.00 No Cognitive Activity
- 1.00 Automatic (simple association)
- 1.20 Alternative Selection
- 3.70 Sign/Signal Recognition
- 4.60 Evaluation/Judgment (consider single aspect)
- 5.30 Encoding/Decoding, Recall
- 6.80 Evaluation/Judgment (consider several aspects)
- 7.00 Estimation, Calculation, Conversion

Psychomotor

- 0.00 No Psychomotor Activity
- 1.00 Speech
- 2.20 Discrete Actuation (button, toggle, trigger)
- 2.60 Continuous Adjustive (flight or sensor control)
- 4.60 Manipulative
- 5.80 Discrete Adjustive (rotary, thumbwheel, lever)
- 6.50 Symbolic Production (writing)
- 7.00 Serial Discrete Manipulation (keyboard entries)



Subjective Assessment & Prediction: McCracken-Aldrich

- Originally developed for the LHX single-pilot helicopter program
- Consistent with Wickens multiple-resource theory
- Four original scales
 - Visual
 - Auditory
 - Cognitive
 - Psychomotor



"High Workload" and Reallocation

- Under "Options," define up to 5 high workload thresholds
- When model runs, points where one or more thresholds are exceeded will be reported


Under "Adjust," workload overload points can be reviewed,

and assigned to a secondary operator if desired

 Then re-run model to re-check workload

(Be sure to save your original model before reallocating)

(And remember, workload does <u>not</u> dynamically affect performance here)





Analysis of Results



FCS - 2 Vs. 3 Trade Study



FCS Modeling Team

Diane Mitchell

diane@arl.army.mil (410) 278-5878

Charneta Samms


csamms@arl.army.mil (410) 278-5877

Jody Wojciechowski

jqw@arl.army.mil (410) 278-8830



Mental Workload





Common Military Functions

Common Functions in Modeling Military Systems

Communicate information

Drive vehicle

Scan for targets

Command troops

Identify targets

Shoot targets

Maintain situation awareness



FCS Modeling Approach

Four IMPRINT combat models:

Gunner-Driver and Commander

Commander-Driver and Gunner

Commander-Gunner and Driver

Commander, Driver and Gunner



Crew Member Function Allocation

Function Name	Condition 1 GD and C	Condition 2 CD and G	Condition 3 CG and D	Condition 4 C and G and D
	Function allocation	Function allocation	Function allocation	Function allocation
Drive	GD	CD	D	D
Hindrance	GD	CD	D	D
Remediate	GD	CD	D	D
Engage	GD (C)	G (CD)	CG	G (C)
Scan	С	G	CG	C and G
External Com	С	CD	CG	С
Crew Commo	GD & C	CD & G	CG & D	C&G&D



FCS Modeling Results Summary

Commander - Driver and Gunner

Highest workload of all conditions



Gunner - Driver and Commander

No shooting on the move



Commander - Gunner and Driver

Best two crewmember function allocation; single vehicle commander




Commander, Driver and Gunner

Two crewmembers scanning; allows hunter-killer philosophy




Data Tables


























Commander-Driver and Gunner

		Max Value		# times >7		
		Cmdr-Driver	Gunner	Cmdr-Driver	Gunner	
	Visual	35	7	293	0	
Workload	Auditory	12	5	12	0	
	Cognitive	31	9	296	2	
	Psychomotor	14	9	229	5	

		Cmdr-Driver	Gunner
Overall	Max Value	86	23
Workload	# times>40	225	0
	# times >60	61	0



Commander-Gunner and Driver

		Max	Value	# times >7		
		Driver	Cmdr-Gunner	Driver	Cmdr-Gunner	
	Visual	24	13	250	15	
Workload	Auditory	16	1	13	0	
	Cognitive	25	16	229	20	
	Psychomotor	6	16	0	21	

		Driver	Cmdr-Gunner
Overall Workload	Max Value	60	39
	# times>40	41	0



Commander, Driver and Gunner

		Max Value			# times >7			
		Driver	Commander	Gunner	Driver	Commander	Gunner	
ļ.,i	Visual	23	7	7	199	0	0	
Workload	Auditory	11	1	5	5	0	0	
	Cognitive	24	17	14	173	16	7	
	Psychomotor	6	15	9	0	16	5	

		Driver	Commander	Gunner
Overall	Max Value	56	34	33
Workload	# times>40	28	0	0




Gunner-Driver and Commander

		Max Value		#times >7	
		Gunner- Driver	Commander	Gunner- Driver	Commander
Workload	Visual	25	13	256	11
	Auditory	16	1	13	0
	Cognitive	25	16	232	16
	Psychomotor	6	16	0	17

Overall		Gunner- Driver	Commander
Workload	Max Value	60	39
	# times >40	42	0







Driving Model



Experimental Design: 3x2x2 full factorial, "within subject"

Independent variables:

- Operator control (direct, teleoperated, semi-autonomous)
- Obstacle frequency (low, high)
- Vehicle reliability (low, high)

Dependent variables:

- Driver workload
- Mission completion time
- Mission completion rate

Sample size: determined with modeling approach










Results: Workload; low obstacle; low reliability






Results: Direct driving workload spike

	Resources					
Concurrent Tasks	Visual	Auditory	Cognitive	Psychomotor		
Talk	0.0	4.9	4.6	1.0		
Coast	0.0	1.0	0.0	0.0		
Don't steer	0.0	0.0	0.0	0.0		
Recognize path	5.4	0.0	1.2	0.0		
Determine dist. to objective	5.0	0.0	6.8	0.0		
Assess orientation	5.0	0.0	1.0	0.0		
Assess traction	0.0	4.3	1.0	0.0		
Assess motion	3.7	1.0	4.6	0.0		
Assess function	3.7	4.3	3.7	0.0		
Resource Subtotal	22.8	15.5	22.9	1.0		
Overall Resource Total	62.2					




Results: Mission completion time






Results: Mission completion rate





Define Soldiers





Define Soldiers Analyses

Stand Alone



Personnel

Operators in Define Mission





Maintainers in Define Equipment



Characteristics







- Add or Delete MOSs
- Run Projection Model
 - Optional, but required to look at Personnel Reports
- Adjust Projection Model Parameters
 - Optional



Add or Delete MOSs

- Operator, Maintainer or Supply
- "Dummy" MOS's (for Civilians or Contractors)& Officers







Performance Moderators





Predicting Human Performance

Define Mission

Discrete event task networks

- Performance measures
 - » Time
 - » Accuracy

Evaluate performance under different conditions

Factors affecting human performance

- Personnel characteristics
- Sustainment training
- Environmental stressors



Using Performance Moderators

- VACP or Goal Oriented missions only
- Apply stressors via
 - individual task
 - all tasks for an MOS or crew position
- Tasks must be described via "taxons"

Not all tasks are affected in the same way or by the same performance moderator





"...categories used to describe the composition of a task."

- 1. Visual Recognition/Discrimination
- 2. Numerical Analysis
- 3. Information Processing/Problem Solving
- 4. Fine Motor Discrete
- 5. Fine Motor Continuous
- 6. Gross Motor Light
- 7. Gross Motor Heavy
- 8. Communication Oral
- 9. Communication Read & Write



Taxon Examples


The Nine IMPRINT Taxons, Their Descriptions, and Task Examples (Allender, Salvi et al., 1997)

Taxons	Definitions	Examples
Visual	Requires using the eyes to identify or separate targets	Seeing something move and then recognizing it as an
	or objects	enemy tank
Numerical	Requires processing arithmetical or mathematical	Measuring an azimuth on a map with a protractor
	calculations	Estimating the distance between two points on a map
Cognitive	Requires processing information mentally and	 Locating a fault in an electrical system after troubleshooting
(Problem Solving and Decision	reaching a conclusion	Selecting the best firing position for a machine gun
Fine Motor Discrete	Requires performing a set of distinct actions in a	Assembly and disassembly of the M-16 rifle
	predetermined sequence mainly involving movement	Starting the engine of a truck
Fine Motor Continuous	Requires expending extensive physical effort or	Driving a vehicle
	exertion to perform an action	Tracking a moving target
Gross Motor Heavy	Requires expending extensive physical effort or	Lifting an artillery round
	exertion to perform an action	Loosening a very tight bolt with a wrench
Gross Motor Light	Requires moving the entire body (i.e., not just the	Getting into a prone firing position
	hands) to perform an action without expending	Evacuating a tank
Communication (Read and	Requires either reading text or numbers that are	Reading a preventive maintenance checklist for a vehicle
Write)	written somewhere or writing text or numbers that can	Writing a letter home
Communication (Oral)	Requires either talking or listening to another person	Giving a situation report by radio
		Receiving a password from someone while on guard duty



Assigning Taxons

Taxons are used to calculate impact of performance moderators



Rules

- Weightings must equal 1.0
- No more than 3 taxons per task

Two methods

- User defines for each task
- Convert VACP workload ratings into taxon assignment



Performance Shaping Functions

- Used Project A database ARI
 - ◆ 1985 data
 - 9,500 soldiers total
 - 9 different military occupational specialties
 - full data set on 9-MOS sample = 5,000 soldiers
 - updated in 1997 with longitudinal data

11B - Infantryman

13B - Cannon Crewman

19E - Tank Crewman

31C - Radio Teletype Op

63B - Veh & Gen. Mech Spc.

71L - Admin Spec

91A - Med Care Spec

88M - Motor Transport Operator

95B - Military Police

- Derived algorithms describing relationship of MOS personnel characteristics and training frequency & recency with task performance by task type
- Provided "what if" options in IMPRINT



Personnel Characteristics

ASVAB* Composite


CL-ST

Test Score Category Cutoff

0 - 135

Test Score Category

II - IV



^{*}Armed Services Vocational Aptitude Battery



Impact of Personnel Characteristics

(currently modeled in IMPRINT)

Taxons	Increase/decrease of ASVAB affects:			
Visual	Α			
Numerical Analysis	T/A			
Information Processing	T/A			
Fine Motor - Discrete	T/A			
Fine Motor - Continuous				
Gross Motor - Light	A			
Gross Motor - Heavy				
Commo (Reading & Writing)	T/A			
Commo (Oral)	A			


T = affects task time, A = affects task accuracy, TA= affects both



Sustainment Training

Training Frequency

Less than twice a year – once a week or more





Impact of Training


(currently modeled in IMPRINT)

Taxons	Less than twice a year	Less than once a month	Once a month (default)	2 or 3 times a month	Once or more a week
Visual					
Numerical Analysis	T/A	T/A	T/A	T/A	T/A
Information Processing					
Fine Motor - Discrete	Α	Α	Α	А	Α
Fine Motor - Continuous					
Gross Motor - Light					
Gross Motor - Heavy					
Commo (Reading & Writing)	T/A	T/A	T/A	T/A	T/A
Commo (Oral)					

T = affects task time, A = affects task accuracy, TA= affects both



Environmental Stressors Screen





Environmental Stressors

Heat measured by Temperature & Humidity

Cold measured by **Temperature & Wind speed**

Noise measured by Distance & Noise level (dbs)

MOPP measured by Level (0 - 4)

Sleepless

Hours measured by Hours since last slept

When stressors are applied to tasks, either accuracy, time, both or neither are affected



Impact of Stressors

(currently modeled in IMPRINT)

Taxon	MOPP	Heat	Cold	Noise	Sleepless Hours
Visual	T	A	T		
Numerical		A			TA
Cognitive		A			TA
Fine Motor Discrete	T	A	T		
Fine Motor Continuous					
Gross Motor Light	T		Т		
Gross Motor Heavy					
Commo. (Read & Write)		A			
Commo. (Oral)	Т	A		A	

T = affects task time, A = affects task accuracy, TA = affects both

Not all tasks are affected in the same way or by the same stressor



Impact of Stressors

IMPRINT Environmental Stressors and the Taxon Types Affected by Either Time or Accuracy or Both (adapted from Micro Analysis & Design and Allender, Salvi et al., 1997)

Taxons	MOPP	Heat	Cold	Noise	Sleepless Hours
Visual	Т	Α	Т	NO DATA	Α
Numerical	NO DATA	Α	NO EFFECT	NO DATA	TA
Cognitive (Problem Solving and Decision Making)	NO DATA	А	NO EFFECT	NO DATA	TA
Fine Motor Discrete	Т	Α	T	NO DATA	NO DATA
Fine Motor Continuous	NO DATA	NO DATA	NO DATA	NO DATA	Т
Gross Motor Light	Т	NO DATA	T - CONFLICT	NO DATA	NO EFFECT
Gross Motor Heavy	NO DATA	NO DATA	NO DATA	NO DATA	NO EFFECT
Communication (Read and Write)	NO DATA	Α	NO DATA	NO DATA	NO DATA
Communication (Oral)	T	А	NO DATA	Α	NO DATA

T = Affects task time A = Affects task accuracy TA = Affects both NO DATA = No research identified for input T – CONFLICT = current data shows a conflict with current IMPRINT degradation and the literature Items in bold are new stressor degradations not currently in IMPRINT 122



Stressor Update in Process...

- Hours since last sleep
 - IMPRINT too optimistic! Impact at < 24 hours
 - Does affect all taxons
- Circadian rhythm
 - Important stressor including interaction w/ sleep loss
 - Need time of day interface
- Nuclear, biological, & chemical
 - Exposure effects, type & time; need to map to IMPRINT taxons
- Vibration
 - Dimensions of vibration
- Noise
 - Does affect cognitive tasks
- Some empty cells in IMPRINT matrix are OK



Combining Stressors



Power Function

$$\mathbf{D} \mathbf{F}_T = \prod_{i=1,n} \sqrt[i]{\mathbf{D} \mathbf{F}_i}$$

Where:

 DF_T = Total degradation factor

DF_i = The ith degradation factor when when ordered from largest effect to smallest effect

n = Number of degradation factors




Applying All PTS Options

- First apply Personnel Characteristics
- Then apply *Training Frequency*
- Apply Stressors last



Running the Model with PTS Options

- Run baseline model first
- Apply PT and/or S
- Review effects by task
- Re-run model with Adjustments selected
- Compare outputs with baseline






Workload to Taxons

Mental Workload Ratings	Taxons		
Visual 1.0, 3.7, 4.0, 5.0, 5.4, 7.0	Visual		
Cognitive 7.0	Numerical Analysis		
Cognitive 1.0, 1.2, 3.7, 4.6, 5.3, 6.8	Information Processing		
Psychomotor 2.2, 4.6, 5.8, 7.0	Fine Motor - Discrete		
Psychomotor 2.6	Fine Motor - Continuous		
	Gross Motor - Light		
	Gross Motor - Heavy		
Auditory 4.9, 6.6, 7.0	Commo (Dooding & Mriting)		
Psychomotor 1.0	Commo (Reading & Writing)		
Visual 5.9	Commo (Oral)		
Psychomotor 6.5			
Auditory 1.0, 2.0, 4.2, 4.3			

Note: VACP workload scores do not map to Gross Motor taxons because workload channels are mental not physical workload




Development of MOPP Degradation Factors






Development of Heat Degradation Factors

- Heat degradation factors in IMPRINT derived from studies relating heat stress to inaccurate performance
 - » Bioastronautics Data Book, 1981
 - » Parker, 1973
 - » MIL-HDBK-759A



– Additional parameters (work rate, clothing, etc.)?






Development of Cold Degradation Factors

- Cold degrades task time as a function of ambient temperature and wind velocity
 - Derived from Teichner (1958) relating wind chill to % performance loss
 - » One for visual reaction time & fine motor discrete
 - » Another for gross motor light

Assumes bare skin


Assumes linear degradation across decreasing temperatures





Development of Noise Degradation Factors

- Noise degrades task accuracy as a function of noise level & speaker-listener distance
 - Derived from Human
 Engineering Design Criteria
 MIL-STD-1472C



Need to consider communication frequency & voice level



Development of Sleepless Hours Degradation Factors

- Hours since last sleep degrades time & accuracy
 - Derived from a review of several studies
 - Cognitive performance is more sensitive to degradation than physical strength and endurance tasks
 - Decline in performance is roughly 25% for every 24 hours of operation
 - Need degradation for non-cognitive work




Projection Model



Projection Model Data

- Current inventory
- Promotion rates
- Separation rates
- Migration in & out rates
- Historical accessions






Use Army Library Data

- MOS data for 22 historical systems
- Operators and maintainers
- Associated personnel characteristic data


MARC Maint. Database



Enlisted Master File




Run Projection Model






Projection Model






Subpopulations



Each subpopulation is flowed separately




Define Soldiers Reports






Define Soldiers Reports (cont)






Target Audience Description Info






Define Equipment






Define Equipment Process





System-to-Task Decomposition



 For the system being modeled, identify

Sub-systems


Components

Tasks which are either corrective or preventive



Maintenance Task Data

- Mean operational unit between failure (i.e., maintenance actions
- Mean time to repair
- Soldier job specialty
- How many of what skill level
- Organizational level
- Mission criticality



Improved Performance Research Integration Tool

Scenario Elements

- System Operational Profile
- Maintenance Crew
 - Number & types of people available to do the maintenance on each shift
- Travel Time
 - Amount of time to get system to the people (or people to the system) on the battlefield
- Repair Parts
 - Likelihood a part is available
 - Average wait time, if not available



Operational Profile Data Items for Every Segment

- Consumables (i.e., Usage) data
- Time & systems data

Combat data

Distance traveled
Rounds fired
Load Time



Probability of hit Probability of kill Replacement time Start time & day

Duration


Priority

Max and min # systems needed

Number of systems per mission



Stochastic Maintenance Model





Maintenance Model Reports

Detailed & Summary Measures

- Maintenance manhours by:
 - task, component, & subsystem
 - preventive & corrective maintenance
 - organizational level
 - soldier job specialty



- Achieved operational availability & readiness
- Maintenance to operational hours ratio
- High driver subsystems
- Personnel utilization
- Logistics downtime
- Combat damage

• ...





Advanced Modeling




Advanced Modeling vs. Advanced workload

- Advanced modeling capabilities allow you greater flexibility in controlling the sequence of events in your model
 - Effects tab
- Advanced workload is another model for predicting workload based on multiple resource theory




Task Network Hierarchy Options in Advanced





Multiple Resources Theory of Mental Workload





Aggregate Workload

ADVANCED WORKLOAD CALCULATION:

$$W_T = W_{STD} + (W_{WCC} + W_{BCC})$$

Where:

 W_T = Instantaneous Workload at Time T

 W_{STD} = Workload attributable to the demands of all operator's tasks at time T (Single Task Demands)


W_{wcc} = Workload attributable to Within-Channel Conflicts (Within and between tasks)

W_{BCC} = Workload attributable to Between-Channel Conflicts (Between tasks only; within tasks may see improved performance "S-C-R")




Advanced Workload Coping Behaviors

Interaction of Human Performance and Workload Estimation Algorithms






Workload Management Strategies Illustration





Sample WinCrew Output

REDUCED, POOR AUTOMATION, GOOD ALLOCATION



→ Op 0 Officer of Deck

Op 1 Nav Officer

Op 2 Bearing Recorder



Advanced Workload Method


- Describes effort needed to perform task
- To help examine impact of workload during mission
- Results are combined across channels into one score
- Results consider inter- & intra-channel conflict
- Does dynamically impact performance





Unique Outputs of Advanced Workload

- Critical Path
- Operator Activity
- Operator Workload
- Overload
- Channel Conflict
- Task Timeline
- CrewStation Workload
- User Snapshot





Goal Oriented Modeling




Goal Oriented Modeling

- Goal orientation
 - Option from VACP
 - Beginning & Ending Effects
 - Variable Catalog
 - Macros (User-Defined Functions)
 - Snapshots
- COM capabilities
 - Including HLA Middleware
- Access to tag




Task Network Model Development






Goal Functions


- Trigger identification
- Trigger communication
- Task interruption
- Task restart vs. task resume
















When a trigger comes true:

- Look UP the matrix to see if a higher priority goal would suspend or halt it. If so, don't start it, but keep trying.
 If not:
- Look DOWN the matrix and implement the actions for all lower priority goals
- When a goal ends normally, gets halted or gets suspended:
 - Resume anything it suspended UNLESS a higher priority goal would halt it. If so, halt it. If a higher priority goal would suspend it, then suspend it.



System Architecture







- AF Validation Success Story
 - Wright Pat SIMAF Virtual Strike Warfare Environment
 - Time critical targeting (SCUD Hunt) mission
 - HPM vs. Eight pilots (F16 and A10)
 - Overall kills of ground targets in the time critical scenario was virtually the same for both the model and pilots (100% and 98%, respectively)
 - HPM accounted for 61 percent of the behavior of the pilots in the simulation environment
 - New tactic discovered: Coordinated use of synthetic aperture radar (SAR) and targeting infrared (TIR) imaging system



Why would you use Goal-Oriented?

- 1. When you want VACP workload and the ability to use effect modeling
- 2. When you want to represent human behavior using goals
- 3. When you need to talk to other simulations

You can switch from VACP or Advanced to Goal oriented with caveats!



Wrap-Up Discussion





➡ Save! Save! Save!

- Never too many DUMMIES...
- Naming Conventions



Getting the Software

Who

- Any government agency
- Private industry with government contract
- Foreign government (case-by-case)

How

- Send request via e-mail or letter
- If private industry include government contract number and organization

Non-Distribution Form

- Keep track of users
- Reminder not to distribute

Software Distribution



Getting the Software

Who

- Any government agency
- Private industry with government contract
- Foreign government (case-by-case)

How

- Send request via e-mail or letter
- If private industry include government contract number and organization

Non-Distribution Form

- Keep track of users
- Reminder not to distribute

Software Distribution




Technical Support

ARL-HRED

- Ms. Celine Richer (cricher@arl. army. mil)
 (410) 278-5883
- Ms. Diane Mitchell (diane@arl. army. mil)
 (410) 278-5878
- Ms. Jody Wojciechowski (jqw@arl.army.mil) (410) 278-8830
- Ms. Charneta Samms (csamms@arl.army.mil) (410) 278-5877

Maintain Database

- User comments
- "Bugs"
- "Fixes"





Using the List Server

List of current IMPRINT users & interested parties

Send suggestions, comments, general information or questions regarding IMPRINT to

imprint@arl.army.mil



References

- Allender, L., Kelley, T. D., Salvi, L., Lockett, J., Headley, D. B., Promisel, D., Mitchell, D., Richer, C., and Feng, T. Verification, validation, and accreditation of a soldier-system modeling tool. <u>Proceedings of the Human Factors and Ergonomics Society 39th Annual Meeting-1995</u>, San Diego, pp. 1219-1223.
- Allender, L., Salvi, L., and Promisel, D.(June 1997). Evaluation of Human Performance under Diverse Conditions via Modeling Technology. <u>Proceedings of Workshop on Emerging Technologies in Human Engineering Testing and Evaluation, NATO Research Study Group 24.</u> Brussels, Belgium.
- Allender, L., Kelley, T., Archer, S., and Adkins, R., (1997). IMPRINT The Transition and Further Development of a Soldier-System Analysis Tool. MANPRINT Quarterly, Office of the Deputy Chief of Staff of Personnel, Vol. V, No. 1.
- Dahl, S., Allender, L., and Kelley, T., (1995) Transitioning Software to the Window Environment Challenges and Innovations. <u>Proceedings of the Human Factors and Ergonomics Society 39th Annual Meeting - 1995</u>, San Diego, pp. 1224-1227.
- McMahon, R., Spencer, M., and Thornton, A. (1995). A quick response approach to assessing the operation performance of the XM93E1 NBCRS through the use of modeling and validation testing. Presented at the Military Operations Research Society Symposium.
- Micro Analysis & Design. Stressor Review Report: Enhanced Performance Degradation Factors and Upgrades for Improved Performance Research Integration Tool (IMPRINT) Version 5, Dynamics Research Corporation: 1-54.
- Mitchell, D. K. (2000). Mental workload and ARL workload modeling tools. (ARL-TN-161) Aberdeen Proving Ground, MD: Army Research Laboratory.
- Mitchell, D., Samms, C., Henthorn, T., Wojciechowski, J. (2003). <u>Trade Study: A Two-Versus Three-Soldier Crew for the Mounted Combat System (MCS) and Other Future Combat System Platforms.</u> (ARL-TR-3026) Aberdeen Proving Ground, MD: Army Research Laboratory.

176



Thanks for Coming!